

From: [Nancy Fitz](#)
To: [Joanne Durand](#)
Subject: Fw: Call tomorrow to answer your questions?
Date: 08/31/2011 05:42 PM

Oops! I realized that I accidentally skipped your question from 8/26, which I have added to my list:

I spoke with a potential client today and he was wondering if they have a 30 gal drum that is typically disposed of by the customer (in other words, the tank never comes back) do they still need to meet compliancy for that drum?

----- Forwarded by Nancy Fitz/DC/USEPA/US on 08/31/2011 05:41 PM -----

From: Nancy Fitz/DC/USEPA/US
To: "Joanne Durand" <joanne@aginfodata.com>, kent <kent@aginfodata.com>
Cc: Jeanne Kasai/DC/USEPA/US@EPA, Gibbs Moore/DC/USEPA/US@EPA
Date: 08/31/2011 05:35 PM
Subject: RE: Call tomorrow to answer your questions?

Hi Joanne,

I received and accepted the invitation for the meeting tomorrow. Do you want me to call you all? If so, let me know what number to use. Or you can call me. I'll be in a conference room and the number there is 703-347-8891.

Here is a list of the questions I have received from you in the past month or so, as well as your labeling good practice document and two documents with details about the DOT leakproofness test, to facilitate our discussion.

Nancy Fitz
Office of Pesticide Programs
U.S. Environmental Protection Agency
(703) 305-7385 (phone)
(703) 308-2962 (fax)
fitz.nancy@epa.gov (e-mail)
Pesticide container & containment web site:
<http://www.epa.gov/pesticides/regulating/containers.htm>

[attachment "Ag Info Data questions 08 31 11.docx" deleted by Nancy Fitz/DC/USEPA/US] [attachment "Ag Info Data GoodPracticeLabelingGuide.pdf" deleted by Nancy Fitz/DC/USEPA/US] [attachment "Retest and Inspection Requirements for IBCs 03 02 11.docx" deleted by Nancy Fitz/DC/USEPA/US] [attachment "Repair and Routine Maintenance of IBCs 03 02 11.docx" deleted by Nancy Fitz/DC/USEPA/US]

▼ "Joanne Durand" ---08/31/2011 05:11:32 PM---Hi Nancy, Kent is on a call right now, but I will catch him as soon as he's done and

From: "Joanne Durand" <joanne@aginfodata.com>
To: Nancy Fitz/DC/USEPA/US@EPA, "kent" <kent@aginfodata.com>
Date: 08/31/2011 05:11 PM
Subject: RE: Call tomorrow to answer your questions?

Hi Nancy,

Kent is on a call right now, but I will catch him as soon as he's done and see what his schedule is like; I'll print off the questions that I've sent...I'm pretty sure I have them flagged...and we can use them as a resource. An electronic doc would be the most awesomely helpful (that's my way of saying please) IF you're able to do it. It means I can refer back to it and/or send it to customers with the same or similar questions.

THANK YOU!!

Joanne Durand
R360 Division
Resource Advocate
joanne@aginfoldata.com
763-682-1414 - Corporate

1111 Hwy 25 N, Suite 202
Buffalo, MN 55313
www.aginfoldata.com

-----Original Message-----

From: Fitz.Nancy@epamail.epa.gov
[mailto:Fitz.Nancy@epamail.epa.gov]
Sent: Wednesday, August 31, 2011 4:06 PM
To: Joanne Durand; kent
Subject: Call tomorrow to answer your questions?

Hi Joanne and Kent,

Are you both available tomorrow for 30 minutes or so to discuss all the questions that have piled up? If you all are willing to discuss them verbally, I'll be able to get you answers much more quickly. I was planning to compile them into one document for ease of review/discussion. I don't know about you, but I've had a hard time keeping track of them all.

I am available tomorrow (Thursday, September 1) from 10:30 - 11:30 and 2:00 - 5:30 (all Eastern time). If we can't find a time in there that works for all three of us, my schedule is pretty open next Tuesday (9/6). I have a meeting from 2:00 - 3:00 Eastern, but am available other than that.

Let me know a day/time that works for you all! In the meantime, I'll compile all of your questions into one document so it's all in one place.

Nancy Fitz
Office of Pesticide Programs
U.S. Environmental Protection Agency
(703) 305-7385 (phone)
(703) 308-2962 (fax)

fitz.nancy@epa.gov (e-mail)
Pesticide container & containment web site:
<http://www.epa.gov/pesticides/regulating/containers.htm>